
8th Grade Released EOG

Instructions


Questions 1-15 are Calculator Inactive. One you have completed these, ask your teacher for a calculator and continue with 16-50. Once you have received a calculator, you are not to go back or change your answers for 1-15.

- **1.** When 8 is added to the number that is produced by doubling the number x, the result is equal to 8 times the number that is 5 less than x. What is the value of x?
- **2.** In $\triangle WXY$, \overline{WY} is congruent to \overline{XY} . The perimeter of $\triangle WXY$ is 76 inches.



How many inches long is \overline{WX} ?


- 3. What value of x satisfies the equation $\frac{-4x-2}{3} = -6$?
 - **A.** -16
 - **B.** -12
 - **C.** 0
 - **D.** 4
- **4.** Lines l and m are parallel to one another and cut by transversals s and t.



What is the value of x?

- **A.** 40°
- **B.** 80°
- **C.** 120°
- **D.** 140°


- **5.** The measures of the angles of a triangle are 50°, 35°, and 95°. What is the measure of the largest exterior angle of the triangle?
 - **A.** 85°
 - **B.** 130°
 - **C.** 145°
 - **D.** 150°
- **6.** On Monday, Mr. James made an eight-hour trip to his mother's house in his car. The graph below shows the distance he had traveled at different times.



On Tuesday, he drove home. His speed on Tuesday was 5 miles per hour faster than for the trip on Monday. Which equation would model the distance, *d*, that Mr. James had traveled on his return trip after *t* hours.

- **A.** d = 45t
- **B.** d = 50t
- **C.** d = 55t
- **D.** d = 60t

- **7.** Two stores sell cherries at different prices per pound.
 - Store P sells 3.5 pounds of cherries for \$13.30.
 - The graph below shows the cost to purchase different weights of cherries at Store Q.




Phillip needs to purchase 10 pounds of cherries. Which statement below is true?

- **A.** Phillip will spend \$8.00 less on cherries at Store P than at Store Q.
- **B.** Phillip will spend \$8.00 more on cherries at Store P than at Store Q.
- **C.** Phillip will spend \$6.00 less on cherries at Store P than at Store Q.
- **D.** Phillip will spend \$6.00 more on cherries at Store P than at Store Q.

8. Alicia and Melissa did jumping jacks. The table below shows the number of jumping jacks that Alicia had done in different amounts of time.

Alicia	Time (minutes)			3	4	5	6	7	8
	Jumping Jacks	30	60	90	120	150	180	210	240


The graph below shows the number of jumping jacks Melissa had done in different amounts of time.



Which choice *best* describes the difference between the rates at which the girls did jumping jacks?

- **A.** Melissa did 6 more jumping jacks per minute than Alicia.
- **B.** Alicia did 6 more jumping jacks per minute than Melissa.
- **C.** Melissa did 5 more jumping jacks per minute than Alicia.
- **D.** Alicia did 5 more jumping jacks per minute than Melissa.

9. Rain is flowing into two containers at different rates. The figure below shows the volume of water in each container at different times.




Container 2				
Minutes	Gallons			
5	2			
10	4			
15	6			
20	8			
25	10			

What is the difference in the rate of change between the two containers?


- **A.** $\frac{1}{5}$ gallon per minute
- **B.** $\frac{3}{5}$ gallon per minute
- C. $\frac{5}{2}$ gallons per minute
- **D.** $\frac{15}{2}$ gallons per minute

10. In which graph do all of the plotted points lie on the line y = x + 2?


A.




B.




C.



D.



11. Which choice is a correct equation for the line graphed below?




A.
$$y = 3x + 1$$

B.
$$y = 2x + 1$$

C.
$$y = \frac{1}{2}x + 1$$

D.
$$y = \frac{1}{3}x + 1$$

12. A town's buildings were graphed on a coordinate grid.



Which equation would represent a line drawn to connect the Town Hall and Post Office?

A.
$$y = \frac{-2}{3} \times + \frac{28}{3}$$

B.
$$y = \frac{1}{8} \times + \frac{53}{8}$$

C.
$$y = \frac{3}{5} \times + 9$$

D.
$$y = \frac{1}{8}X + \frac{59}{3}$$

13. Which function is nonlinear?

A.
$$y = \frac{3x + 1}{2}$$

B.
$$y = \bar{x}$$

C.
$$y = 2x(x - 4)$$

D.
$$y = \frac{1}{2}X - 7$$

14. In which choice do all the points lie on the same line?

- **15.** Kyle is a salesman. His montly earnings include a fixed monthly salary and a commission that is a fixed percentage of his total sales for the month.
 - Kyle's total sales for the month of January were \$15,000, and his total earnings for that month were \$2,550.
 - Kyle's total sales for the month of February were \$25,000, and his total earnings for that month were \$3,050.

What is Kyle's fixed monthly salary in dollars?

16. In the table below, y is a linear function of x.

x (y
3	5
5	₋₂ 3
7	-11

What is the value of y when x = 0?

- **17.** Beginning in 2000, a sports team increased its ticket price by a constant amount each year until 2010.
 - A ticket cost \$48 in 2005.
 - A ticket cost \$55.50 in 2008.

How much did a ticket cost in 2000?

Express the answer as dollars.cents.

18. In which function table do all of the points (*x*, *y*) lie on the line that has a slope of 3 and a *y*-intercept of 2?

A.

X	у
-1	-1
2	8
5	17
8	26

B.

X	у
-1	-1
2	7
5	17
8	26

C.

X	У
-1	-1
2	8
5	18
8	26

D.

X	у
-1	-1
2	8
5	17
8	25

- **19.** In which table is *y* a function of *x*?
 - A.

۱.	X	y
	-3	6
	2	5
	3	2
	2	3

В

X	y
-1	0
5	2
7	3
5	4

C.

X	y
2	-1
3	0
4	-5
5	7

D.

X	y
0	6
-1	3
2	4
-1	5

- **20.** Limousine Company P and Company R both charge a rental fee plus an additional charge per hour.
 - The equation y = 50 + 30x models the total cost (in dollars), y, of renting a limousine from Company P for x hours.
 - The table below shows the cost to rent a limousine from Company R for different lengths of time.

Company R

Time (hours)		2	3	4	5
Total Cost	\$100	\$125	\$150	\$175	\$200

Which statement accurately compares the per hour charges of the two companies?

- **A.** Company P charges \$5 less per hour than Company R.
- **B.** Company P charges \$5 more per hour than Company R.
- **C.** Company P charges \$25 less per hour than Company R.
- **D.** Company P charges \$25 more per hour than Company R.

21. Which function has a greater rate of change than the function that passes through the points given in the table below?

X	y
4	2
6	3
8	4
10	5
12	6

A.
$$3x - 5y = 25$$

B.
$$7y - 3x = 14$$

C.
$$y = 1 + \frac{1}{2}X$$

D.
$$y = -1 + \frac{1}{4}x$$

- **22.** Alice compared the graphs of two functions.
 - The first function was y = 3x + 4.
 - The second function fits the values in the table below.

X	у
2	17
5	32
8	47
11	62

What is the distance between the *y*-intercepts of the two functions?


- **A.** 1
- **B.** 2
- **C.** 3
- **D.** 4


23.Mr. Jones filled his swimming pool with water.

- Mr. Jones began filling the pool at a constant rate.
- He turned off the water for a while.
- He then turned the water back on at a slower constant rate.
- Mr. Jones turned off the water again for a while.
- He then turned the water back on at the first rate.


Which graph *best* represents Mr. Jones filling the pool?

A.






C.



D.




24. Larry started riding his bike at a rapid pace. He got tired and stopped to rest. When he started again, he was going at a slower rate. Which graph *best* shows Larry's trip?


A.



B.




C.



D.




25. $\triangle XYZ$ will be translated so that the coordinates of X' are (5, 11).



What will be the coordinates of Z'?

- **A.** (5, 8)
- **B.** (6, 7)
- **C.** (7, 6)
- **D.** (8, 5)


26. Rectangle *WXYZ* will be dilated by a scale factor of $\frac{1}{2}$, creating rectangle W'X'Y'Z'.



What will be the perimeter of rectangle W'X'Y'Z'?

- **A.** 4 units
- **B.** 6 units
- **C.** 12 units
- **D.** 24 units
- 27. What is the value of 0. $\frac{-}{36} \times \frac{11}{2}$?
- **28.** What is the sum of all the integers between $\sqrt{19}$ and $\sqrt{77}$?


- **29.** On a number line, let point P represent the largest integer value that is less than $\sqrt{407}$. Let point Q represent the largest integer value that is less than $-\sqrt{68}$. What is the distance between P and Q?
- **30.** The figure below shows a square inscribed in a circle. The area of the shaded region is 2.5 square units.



What is the *approximate* area of the circle?


- **A.** 3.1 square units
- **B.** 4.7 square units
- **C.** 6.3 square units
- **D.** 7.9 square units

31. What is the area of the triangle shown below?




- **A.** 4 square meters
- **B.** 6 square meters
- **C.** 12 square meters
- **D.** 15 square meters
- **32.** Molly wants to put a fence around an area. The fence will follow the diagram of the triangle shown below. About how much fencing does Molly need?





33. Quadrilateral *PQRS* is graphed in the coordinate plane.



To the nearest tenth, what is the perimeter of quadrilateral *PQRS*?

- **A.** 33.0 units
- **B.** 33.7 units
- **C.** 37.6 units
- **D.** 48.0 units


34. The points (-3, -1) and (-3, 5) are adjacent vertices of a rectangle. Two of the sides of the rectangle have a length of 8 units. What is the length of a diagonal of the rectangle?

- **A.** 9 units
- **B.** 10 units
- **C.** 12 units
- **D.** 14 units

What is the value of

- **36.** The area of the surface of the Atlantic Ocean is approximately 31,830,000 square miles. How is this area written in scientific notation?
 - **A.** 3.183×10^4
 - **B.** 3.183×10^5
 - **C.** 3.183×10^6
 - **D.** 3.183×10^7
- **37.** Suppose that a scientist estimates that every square mile of the ocean contains an average of 4.6×10^4 pieces of trash. The area of the Earth's surface that is covered by oceans is approximately 1.2×10^8 square miles. Using the estimate, how many pieces of trash are in the Earth's oceans?
 - **A.** 5.5×10^{12}
 - **B.** 1.2×10^8
 - **C.** 3.4×10^4
 - **D.** 2.6×10^3
- **38.** A cylinder is 20 inches long and has a diameter of 10 inches. What is the *approximate* volume of the cylinder?
 - **A.** 200 cubic inches
 - **B.** 630 cubic inches
 - **C.** 1,570 cubic inches
 - **D.** 6,280 cubic inches

39. What is the *approximate* volume of the cone below?



- **A.** 70 cm³
- **B.** 183 cm³
- **C.** 549 cm³
- **D.** 733 cm³

40. Students were surveyed about book bags. The results are shown below.

	Male	Female
Carry a Book Bag	47	57
Do Not Carry a Book Bag	63	48

A student concluded that, for those in the survey, females are more likely to carry a book bag than males. Which explanation *best* supports the student's conclusion?

- **A.** For females, 54% carry a book bag, while for males, 43% carry a book bag.
- **B.** For females, 27% carry a book bag, while for males, 22% carry a book bag.
- **C.** For females, 57 carry a book bag, while for males, 47 carry a book bag.
- **D.** For females, 48 do not carry a book bag, while for males, 63 do not.

41. The table below displays the number of DVDs sold and rented at a store for 5 weeks.

Week	DVDs Sold	DVDs Rented
1	25	50
2	45	79
3	40	70
4	22	48
5	5	28

Which describes the association between the number of DVDs sold and the number of DVDs rented?

- **A.** no association
- **B.** weak association
- **C.** negative association
- **D.** positive association

- **42.** Which scenario would *most likely* show a negative association between the variables?
 - **A.** the height of a tree, *x*, and the amount of time it takes to climb to the top of the tree, *y*
 - **B.** the number of people in the mall, *x*, and the number of cars in the parking lot, *y*
 - **C.** miles traveled in a car, *x*, and the amount of gasoline used, *y*
 - **D.** time spent reading a book, *x*, and the number of pages left to read, *y*
- **43.** The table shows the air temperatures at different elevations.

Elevation (feet)	Temperature (°F)
0	75°
100	70°
200	67°
300	64°
400	59°
500	55°
600	50°

Which line **best** fits this set of data?

A.
$$y = \frac{1}{25}x + 75$$


B.
$$y = \frac{1}{25}x - 75$$

C.
$$y = \frac{1}{25}x + 75$$


D.
$$y = \frac{1}{25}x - 75$$

James is fitting the linear equation $y = \frac{1}{2}X$ to a data set. Which scatterplot shows the data set that the linear equation would fit **best**? 44.


A.




В.



C.




D.



Page 28/33

45. Which equation *best* fits the data shown in the scatterplot below?




A.
$$y = \frac{1}{4}x - 1$$

B.
$$y = \frac{1}{2}X - \frac{1}{2}$$

C.
$$y = \frac{3}{4}x - 2$$

D.
$$y = x - 3$$


46. Sharon made a scatterplot comparing the shoulder heights of dogs to their weights.



Sharon's dog has a shoulder height of 28 inches. Using a linear model, which is the *best* prediction of her dog's weight?

- A. 85 pounds
- **B.** 90 pounds
- **C.** 105 pounds
- **D.** 120 pounds

47. Mary collected data each day on how many commercials she saw and how long she watched TV. She displayed her data in a scatterplot.



According to the trend line shown in the scatterplot, *about* how many commercials will Mary see if she watches TV for

$$1\frac{1}{2}$$
 hours?

- **A.** 19
- **B.** 27
- **C.** 39
- **D.** 90

- **48.** A company charges \$211.25 for 5 trees and 15 shrubs. The company charges \$15.25 more for a tree than a shrub. How much does each shrub cost?
 - **A.** \$6.75
 - **B.** \$7.75
 - **C.** \$19.25
 - **D.** \$22.00

- **49.** Kim made soup which contains 75 total ounces of beans.
 - The soup has two kinds of beans, black and red.
 - There are 4 times as many ounces of black beans as red beans.

How many ounces of red beans are in the soup?

- **A.** 5
- **B.** 12
- **C.** 15
- **D.** 19

50. A system of equations is shown below.

$$2x + 4y = 0$$

$$y = \frac{1}{2}x - 3$$

What is the *x*-value in the solution to the system of equations?

- **A.** -3
- **B.** -1.5
- **C.** 1.5
- **D**. 3